

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	565	((link) same (bandwidth with statistic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 17:45
S2	79	((link) with (bandwidth with statistic\$4)) and (admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 17:48
S3	24	((link) with (bandwidth with statistic\$4)) and (dsl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 17:48
S4	6	dsl and (("no" or "not") near2 admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 18:01
S5	2731	(estimat\$4 near5 (bandwidth or link or us\$3)) and dsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 18:05
S6	322	(estimat\$4 near5 (bandwidth or link)) and dsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 18:13
S7	14	(estimat\$4 near5 (bandwidth or link)) and dsl and rsvp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 18:17
S8	190	(estimat\$4 near5 (bandwidth or link)) and rsvp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:04
S9	68	(estimat\$4 near5 (bandwidth or link)) and rsvp and (link near2 capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:25
S10	200	service near2 deployment near2 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:26

S11	42	(service near2 deployment near2 system) and estimat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:33
S12	8	(service deployment system) and estimat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:34
S13	1	(service near2 deployment near2 system) and (estimat\$4 same (best near2 effort))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:35
S14	18	(service near2 deployment near2 system) and ((best near2 effort))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:35
S15	37	dsl and ((grant\$4 or accept\$4) near2 service) and ((deny\$4 or reject\$4) near2 service) and ((terminat\$4 or end\$3 or stop\$4) near2 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:38
S16	5	dsl and ((grant\$4 or accept\$4) near2 service) and ((deny\$4 or reject\$4) near2 service) and (((terminat\$4 or stop\$4) near2 service) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:41
S17	139	dsl and (((terminat\$4 or stop\$4) near2 service) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:41
S18	39	bandwidth same (((terminat\$4 or stop\$4) near2 service) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:48
S19	523	(respon\$3 or reply\$4 or request\$4) with (((terminat\$4 or stop\$4) near2 service) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:51
S20	52	(respon\$3 or reply\$4 or request\$4) with (((terminat\$4 or stop\$4) near2 service) with user) and dsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/26 20:52
S21	134	(estimat\$4 near2 (bandwidth or (best effort))) and dsl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 10:09

S22	1	10/851625	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 10:25
S23	954	(estimat\$4 near2 (bandwidth or (best effort))) and statistic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 10:41
S25	94	(estimat\$4 near2 (bandwidth or (best effort))) same statistic\$4 and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 10:56
S26	165	(estimat\$4 near2 (bandwidth or (best effort))) same statistic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 13:08
S29	5	(notify\$4 or alert\$4 or prompt\$4) with user with (insufficient near3 bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:10
S30	14	(notify\$4 or alert\$4 or prompt\$4) with user with ((insufficient) with (service or bandwidth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:13
S31	208	(notify\$4 or alert\$4 or prompt\$4) with user with ((terminat\$4) with (service or bandwidth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:14
S32	198	(notify\$4 or alert\$4 or prompt\$4) with user with ((terminat\$4) with (service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:15
S33	63	(notify\$4 or alert\$4 or prompt\$4) near6 user near6 ((terminat\$4) near6 (service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:15
S34	1	10/595312	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/27 14:39
S35	91	((request\$4) same (\$sufficient\$4 near2 bandwidth)) same terminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 12:11

S38	800	(business near2 switch\$4) or (legacy near2 gateway near2 router) same (admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:09
S40	1	((business near2 switch\$4) or (legacy near2 gateway near2 router)) same (admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:12
S41	6	((business near2 switch\$4) or (legacy near2 gateway near2 router)) and (admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:13
S42	12	((business near2 switch\$4) or (legacy near2 gateway)) and (admission near2 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:15
S43	6	dsl and ((grant\$4 or accept\$4)) and ((deny\$4 or reject\$4)) and ((terminat\$4 or stop\$4) with bandwidth with \$sufficient\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:29
S44	58	((grant\$4 or accept\$4)) and ((deny\$4 or reject\$4)) and ((terminat\$4 or stop\$4) with bandwidth with \$sufficient\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:43
S45	60	((grant\$4 or accept\$4)) and ((deny\$4 or reject\$4)) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4) with bandwidth with \$sufficient\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:43
S46	2	((grant\$4 or accept\$4)) and ((deny\$4 or reject\$4)) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4) with bandwidth with \$sufficient\$4 with (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 15:44
S47	4	((grant\$4 or accept\$4)) and ((deny\$4 or reject\$4)) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4) with bandwidth with \$sufficient\$4 same (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:36
S48	2674	((sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same (terminat\$4 or stop\$4 or halt\$4 or paus\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:42
S49	760	((sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:42

S50	66	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4) with service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:42
S51	77	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) with service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:44
S52	13	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) same service) same ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 18:13
S53	2297	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) same service) and ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:50
S54	162	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) same service) and ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:50
S55	92	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) same service) and ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber)) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:51
S56	86	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) same service) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:53
S57	41	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource)) same ((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))) and ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4) with service) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 09:53
S58	182	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource) with (request\$4 or demand\$4 or reserv\$5)) and (((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))) same ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4))) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:05
S59	56	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource) with (request\$4 or demand\$4 or reserv\$5)) and (((inform\$4 or alert\$4 or prompt\$4 or notify\$4) near5 (user or subscriber))) with ((terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4))) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:06
S60	8	(((\$sufficient\$4 or enough or necessary or needed) near2 (bandwidth or resource) with (request\$4 or demand\$4 or reserv\$5)) and ((concurrent\$4 or simultaneous\$4) with service with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:34

S61	269	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notify\$4) near5 (option or choice) near5 (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:04
S62	0	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notify\$4) near5 (option or choice) near5 (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) same bandwidth) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:05
S64	7	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notify\$4) with (option or choice) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) same bandwidth) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:17
S65	147	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notify\$4) with (option or choice) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) and bandwidth) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:24
S66	67	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notify\$4) with (option or choice) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) with service) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:25
S67	69	((present\$4 or inform\$4 or prompt\$4 or alert\$4 or notif\$4) with (option or choice) with (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)) with service) and (@pd<"20040401" or @rlad<"20040401" or @ptad<"20040401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:48
S68	740	((deny\$4 or reject\$4) with (request\$4 or demand\$4 or reserv\$5)) and ((grant\$4 or allow\$4) with (request\$4 or demand\$4 or reserv\$5)) and (\$sufficient\$4 near5 bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:08
S69	39	((deny\$4 or reject\$4) with (request\$4 or demand\$4 or reserv\$5)) same ((grant\$4 or allow\$4) with (request\$4 or demand\$4 or reserv\$5)) same (\$sufficient\$4 near5 bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:08
S70	9063	(370/229,230,232,233,235,236,236.1,395.21).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:34
S71	108	S68 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:37
S72	20	((deny\$4 or reject\$4) with (request\$4 or demand\$4 or reserv\$5)) same ((\$sufficient\$4 or enough or necessary or needed) near5 bandwidth) same (terminat\$4 or stop\$4 or halt\$4 or paus\$4 or suspend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 14:03

3/4/2009 4:21:59 PM

C:\Documents and Settings\cduong\My Documents\EAST\Workspaces\christine\10815549\20090226.wsp